## Registration Information Carbon Footprint of Products (CFP)



| 1. Product information |                         |  |                   |  |
|------------------------|-------------------------|--|-------------------|--|
| 1.1                    | Registration number     | CR-DG02-20008  | 1.7 Product photo |  |
| 1.2                    | Registration name       | DocuCentre-VI C7771 PFS  |                   |  |
| 1.3                    | Model name / number     | DocuCentre-VI C7771 PFS  |                   |  |
| 1.4                    | Main specifications     | Print speed: Color 70ppm/Monochrome 70ppm<br>Maximum Paper size: SRA3(320x450mm)<br>Capable of print/copy/scan/FAX, duplex printing.<br>Product Size: 620(W)x793(D)x1,169(H) (mm)<br>Product weight: 155kg | 9-                |  |
| 1.5                    | CFP quantification unit | Per unit product   | 9 1 (CT)          |  |
| 1.6                    | CFP release date        | March 18th, 2020   | -                 |  |

| 2. Con | 2. Company Information         |                      |  |  |  |
|--------|--------------------------------|----------------------|--|--|--|
| 2.1    | Company name (in<br>English)   | Fuji Xerox Co., Ltd. |  |  |  |
| 2.2    | Phone number (incl. area code) | +81-3-6271-5111      |  |  |  |

| 3. CFF | 6. CFP quantification results, and description of CFP declration |  |                                      |  |  |
|--------|--|--|--------------------------------------|--|--|
| 3.1    | CFP quantification results                                       | 1,700 kg-CO2e  |                                      |  |  |
|        | Breakdown (by life cycle   | e stage, by process, by flow, etc.)  |                                      |  |  |
|        | Raw material acquisition stage                                   | 950  | kg-CO <sub>2</sub> e                 |  |  |
| 3.2    | Production stage   | 19   | kg-CO₂e                              |  |  |
| 3.2    | Distribution stage   | 31   | kg-CO₂e                              |  |  |
|        | Use & maintenance stage  | 600  | kg-CO <sub>2</sub> e                 |  |  |
|        | Disposal & recycling stage                                       | 55   | kg-CO₂e                              |  |  |
|        | Value in CFP mark and de   | escription of additional info.   |                                      |  |  |
|        |  | <numerial value=""></numerial>   | <unit for="" the="" value=""></unit> |  |  |
|        | Value in CFP mark  | 1,700kg  | per unit product                     |  |  |
| 3.3    | Description of additional info.                                  | *Calculated by the standard Scenario for MFP (EP type), including following changes.  *Calculated on the basic configuration.  *CO <sub>2</sub> emission in the distribution stage assumes Japan as the main sales area.  *Electric power in the use and maintenance stage is evaluated with the public electric-power-consumption-rate in Japan.  *Print volume is assumed 730,000 sheets based on ENERGY STAR Program ver. 3.0.  *In this scenario, the CO <sub>2</sub> emissions from copy papers are estimated 5,600 kg-CO <sub>2</sub> e at 4.0g per A4 paper.  *The CO <sub>2</sub> emission of printing paper is excluded from the use and maintenance stage.  *Electric power in the use stage is evaluated based on TEC value which is measured in acordance with International ENERGY STAR Program version 3.0.  Disposal & recycling stage  3%  Raw material acquisition stage 58%  Production stage 1% |                                      |  |  |
| 3.4    | Remarks  |  |                                      |  |  |

| 4. Inte | Interpretation of CFP quantification results |  |  |  |
|---------|--|--|--|--|
|         |  | CO2 emission in use and maintenance stage is the largest as 58%. It is important to save energy during product usage.  |  |  |
| 4.1     |  | The use condition in this scenario can be different from the use condition of the user.  A choice of the use condition (print mode, print conditions and so on) can reduce the CO2 emission during product usage.  For example, 150kg-CO2e of the CO2 emissions (approximately 9%) can be reduced if 2-in-1 print is applied to 50% of the estimated total print volume.  Primary data is used in the raw material consumption. Secondary data is used in the parts manufacturing process which might not be reflected our own |  |  |
|         |  | circumstances because it is difficult to collect the data for thousands of the parts.  Please understand this result as the rough estimate according to the reason mentioned above.  |  |  |

| 5. Con | 5. Conditions of quantification |  |     |                     |          |
|--------|---------------------------------|--|-----|---------------------|----------|
| 5.1    | Name of approved CFP-PCR        | Imaging input and/or output equipment  | 5.2 | Approved CFP-PCR ID | PA-DG-02 |
| 5.3    | Assumptions of                  | Basic secondary data v.1.01 is preferertially used. Available secondary data domestic country v.1.04, foreign country v.1.0) is used if the items don't correspond to basic data v.1.01. |     |                     |          |

| 6. Veri | 6. Verification information |                          |     |                                 |                  |
|---------|-----------------------------|--------------------------|-----|---------------------------------|------------------|
| 6.1     | Verification method         | CFP system certification | 6.2 | CFP system certification No.    | SCN16001         |
| 6.3     | Verification ID             | FX-2019-004              | 6.4 | Completion date of verification | March 10th, 2020 |

| 7. Program information |                  |   |     |          |   |
|------------------------|------------------|---|-----|----------|---|
| 7.1                    | Program name     | Carbon Footprint<br>Communication Program                 | 7.2 | Web site | http://www.cfp-japan.jp/                            |
| 7.3                    | Program operator | Sustainable<br>ManagementPromotion<br>Organization(SuMPO) | 7.4 | Address  | 2-1, Kajicho 2-chome, Chiyoda-ku,<br>Tokyo 101-0044 |

| × |   |         |   |
|---|---|---------|---|
| I | 8 | Remarks | _ |

For secondary data, please refer to the information on the following CFP website. http://www.cfp-japan.jp/calculate/verify/data.html