


# Registration information of Carbon Footprint of Products

1. Product information			
1.1	Registration number	CR-DG01-15002	1.7 Product photo  
1.2	Product name	Dell Color Printer C3760	
1.3	Product model	Dell Color Printer C3760	
1.4	Main specifications of product	Print speed (Letter/A4): 36ppm color/black-and-white Paper size: A4 maximum Capable of duplex printing Product Size: 439(W)x485(D)x379(H) (mm) Product weight: 25.6kg	
1.5	CFP quantification unit	Per unit product	
1.6	Date of release	2015/3/19	

2. Company Information		
2.1	Company name	Fuji Xerox Co., Ltd.
2.2	Phone number	+81-3-6271-5111

3. CFP quantification results, and contents of CFP declaration			
3.1	CFP quantification results	2,300	kg-CO <sub>2</sub> e (CFP quantification results can be slightly different from sum of the following breakdown for rounding of fractions.)
3.2	Breakdown (by life cycle stage, by process, by flow, etc.)		
	Raw material acquisition stage	150	kg-CO <sub>2</sub> e
	Production stage	28	kg-CO <sub>2</sub> e
	Distribution stage	19	kg-CO <sub>2</sub> e
	Use & maintenance stage	2,000	kg-CO <sub>2</sub> e
	Disposal & recycling stage	43	kg-CO <sub>2</sub> e
3.3	Value in a mark, and contents of additional info.		
	Value in a mark	<Contents>	<Unit for the value in a mark>
		<b>2,300 kg</b>	per unit product
Contents of additional info.	<p>*Calculated by the standard Scenario for Printer (EP type)            *CO<sub>2</sub> value is evaluated on the C3760dn model with automatic duplex printing function.            The difference from C3760n without automatic duplex printing is less than 1% throughout the life cycle. No difference in the CO<sub>2</sub> value in the use and maintenance stage.            *CO<sub>2</sub> emission in the distribution stage assumes North America as the main sales area.            *Electric power in the use and maintenance stage is evaluated with the public electric-power-consumption rate in North America.            *The CO<sub>2</sub> emission due to printing paper is excluded from the use and maintenance stage.            *Print volume is assumed 777,600 sheets.</p> <div style="display: flex; align-items: center;">  <ul style="list-style-type: none"> <li><span style="color: blue;">■</span> Raw material acquisition stage</li> <li><span style="color: red;">■</span> Production stage</li> <li><span style="color: green;">■</span> Distribution stage</li> <li><span style="color: purple;">■</span> Use &amp; maintenance stage</li> <li><span style="color: yellow;">■</span> Disposal &amp; recycling stage</li> </ul> </div>		
3.4	Remarks	*Print volume: 777,600 sheets *In this scenario, the CO <sub>2</sub> emissions from copy papers are estimated 6,000 kg-CO <sub>2</sub> e at 4.0 g per A4 paper.	

4. Interpretation of CFP quantification results	
4.1	<p>Interpretation of CFP quantification results</p> <p>CO<sub>2</sub> emission in use and maintenance stage is the largest as 89%. It is important to save energy during product usage. The use condition in this scenario can be different from the use condition of the user. A choice of the use condition (print mode, print conditions and so on) can reduce the CO<sub>2</sub> emission during product usage. For example, 385kg-CO<sub>2</sub>e of the CO<sub>2</sub> emissions (approximately 17%) can be reduced if 2-in-1 print is applied to 388,800sheets (50% of print volume).</p> <p>CO<sub>2</sub> emission in raw material acquisition stage is the second largest as 12%. It is also important to reduce size and weight.</p> <p>Primary data is used in the raw material consumption. Secondary data is used in the parts manufacturing process which might not be reflected our own circumstances because it is difficult to collect the data for thousands of the parts. Please understand this result as the rough estimate according to the reason mentioned above.</p>

5. Conditions of quantification			
5.1	Name of approved CFP-PCR	Imaging input and/or output equipment	5.2 Approved CFP-PCR ID PA-DG-01
5.3	Assumptions of secondary data used	Basic secondary data v.1.01 is preferentially used. Available secondary data (country v.1.04, foreign country v.1.01) is used if the items don't correspond to basic data v.1.01.	

6. Verification information			
6.1	Verification method	Product-by-product	6.2 CFP system certification No. —
6.3	Verification ID	CV-DG01-15002	6.4 Completion date of verification 2015/3/10

7	Remarks	—
---	---------	---

(\*) For secondary data, refer to the following page on the CFP website.  
<http://www.cfp-japan.jp/calculate/verify/data.html>