Registration Information Carbon Footprint of Products (CFP)



	dest is favoration.			
	duct information	CR-DG02-19019		1.7 Droduct phata
1.1	Registration number	CR-DG02-19019		1.7 Product photo
1.2	Registration name	Canon imageRUNNER ADVA	NCE 715iFZ III	
1.3	Model name / number	Canon imageRUNNER ADVA	NCE 715iFZ III	
1.4	Main specifications of product	Multifunction C Print speed BW: 75 515mm(W) × 601mm(I Product weight: Appro	5 ppm (LTR) D) × 814mm(H)	Canos
1.5	CFP quantification unit	Per unit product		instances Free Birtes
1.6	CFP release date	5/22/2019		I I
. Cor	npany Information			
2.1	Company name (in English)	Canon Inc.		
2.2	Phone number (incl. area code)	+81-3-3758-2111		
	-			
5. CFF	 quantification results, ar 	d contents of CFP declration	T	
3.1	CFP quantification results	2,400	kg-CO ₂ e (CFP quantification results can following breakdown for roundi	be slightly different from sum of the ng of fractions.)
	Breakdown (by life cyc	le stage, by process, by flow, etc.)		
	Raw material acquisition stage	380	kg-CO₂e	
3.2	Production stage	83	kg-CO ₂ e	
3.2	Distribution stage	15	kg-CO ₂ e	
	Use & maintenance stage	1 800	kg-CO₂e	

	Use & maintenance stage	1,800	kg-CO ₂ e	
	Disposal & recycling stage	41	kg-CO ₂ e	
	Value and description of	additional info.		
		<numerial value=""></numerial>		<value cfp="" mark="" on=""></value>
	Value to be stated on the mark	2,400 kg		Per unit product
3.3	Contents of additional info.	Calculated in the following co - the standard scenario for M Device (EP type), - Print volume: 3,340,800 she - US market, - Printing paper is not conside	ultifunction ets,	Disposal & Raw material acquisition stage 16% 2% Distributi on stage 1% Use & maintena nce stage 78%
3.4	Remarks			

4. Inte	rpretation of CFP quantified	cation results
4.1	Interpretation of CFP quantification results	 CO2 emission in Use & maintenance stage is the largest as 78%. It is important to save energy during product usage and to make the life time of consumables longer. The condition in this CFP evaluation can be different from the one which the user operates under. A choice of the use condition (print mode, print conditions and so on) can reduce the CO2 emission during Use & maintenance stage. CO2 emission in Raw material acquisition stage is the second largest as 16%. It is also important to reduce the size and weight, and to use low environmental impact materials. We evaluated the CFP with Canon's own data of raw materials weight and the general basic unit for the parts because it is difficult to collect the data for a couple of thousands of parts. Accordingly, the results may be different from the specific product specification. As such, please be advised that this result would be a rough estimate.

	5. Con	ditions of quantification				
	5.1	Name of approved CFP-PCR	Imaging input and/or output equipment	5.2	Approved CFP-PCR ID	PA-DG-02
I	5.3		Basic secondary data v.1 v.1.01 is used if the items			

6. Ver	ification information				
6.1	Verification method	CFP System certification	6.2	CFP system certification No.	SCN14002
6.3	Verification ID	CV-DG02-19019	6.4	Completion date of verification	5/7/2019

7. Pro	gram information				
7.1	Program name	Carbon Footprint Communication Program	7.2	Web site	http://www.cfp-japan.jp/
7.3	Program operator	Japan Environmental Management Association for Industry (JEMAI)	7.4	Address	2-1, Kajicho 2-chome, Chiyoda-ku, Tokyo 101-0044

8 Remarks —

(*) For secondary data, refer to the following page on the CFP website. http://www.cfp-japan.jp/calculate/verify/data.html